

ATTORNEY DOCKET NO. 14114.0353U2  
PATENTIN THE UNITED STATES PATENT AND TRADEMARK OFFICE**RECEIVED  
CENTRAL FAX CENTER**

SEP 10 2004

In re Application of	)	
Oberste <i>et al.</i>	)	
	)	Group Art Unit: 1648
Application No.: 09/937,862	)	
	)	Examiner: Shannon A. Foley
Filed: September 28, 2001	)	
	)	Confirmation No. 8841
For: TYPING OF HUMAN ENTEROVIRUSES	)	

CHANGE OF CORRESPONDENCE ADDRESSCommissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450NEEDLE & ROSENBERG, P.C.  
Customer Number 23859


Dear Sir:

Please change the correspondence address for the above-identified application to  
the address associated with:

Customer No. 23859

Respectfully submitted,

NEEDLE &amp; ROSENBERG, P.C.

Gwendolyn D. Spratt  
Registration No. 36,016NEEDLE & ROSENBERG, P.C.  
Customer Number 23859  
(678) 420-9300  
(678) 420-9301 (fax)

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**